Nationwide House Energy Rating Scheme NatHERS Certificate No. 0006635379

Generated on 29 Sep 2021 using BERS Pro v4.4.0.4 (3.21)

Property

Address 47 Roberts Road, Grattai, NSW, 2850

Lot/DP 27/253179

NCC Class* 1A

Type New Dwelling


Plans

Main Plan Rev A Issue date: 13/09/21

Prepared by John Sullivan

Construction and environment

Assessed floor ar	rea (m²)*	Exposure Type
Conditioned*	43.0	Open
Unconditioned*	6.0	NatHERS climate zone
Total	49.0	65
Garage	0.0	



Thermal performance

Heating Cooling
171.4
4.6
MJ/m²
MJ/m²



Name Jamie Bonnefin

Business name Certified Energy

Email jobs@certifiedenergy.com.au

Phone 1300 443 674

Accreditation No. 10056

Assessor Accrediting Organisation

HERA

Declaration of interest None

About the rating

NatHERS software models the expected thermal energy loads using information about the design and construction, climate and common patterns of household use. The software does not take into account appliances, apart from the airflow impacts from ceiling fans.

Verification

To verify this certificate, scan the QR code or visit hstar.com.au/QR/Generate?

p=ZbBURYFHt.
When using either link, ensure you are visiting hstar.com.au

National Construction Code (NCC) requirements

The NCC's requirements for NatHERS-rated houses are detailed in 3.12.0(a)(i) and 3.12.5 of the NCC Volume Two. For apartments the requirements are detailed in J0.2 and J5 to J8 of the NCC Volume One.

In NCC 2019, these requirements include minimum star ratings and separate heating and cooling load limits that need to be met by buildings and apartments through the NatHERS assessment. Requirements additional to the NatHERS assessment that must also be satisfied include, but are not limited to: insulation installation methods, thermal breaks, building sealing, water heating and pumping, and artificial lighting requirements. The NCC and NatHERS Heating and Cooling Load Limits (Australian Building Codes Board Standard) are available at www.abcb.gov.au.

State and territory variations and additions to the NCC may also apply.



Certificate check

Ensure the dwelling is designed and then built as per the NatHERS Certificate. While you need to check the accuracy of the whole Certificate, the following spot check covers some important items impacting the dwelling's rating.

Genuine certificate

Does this Certificate match the one available at the web address or QR code in the verification box on the front page? Does the set of NatHERS-stamped plans for the dwelling have a Certificate number on the stamp that matches this Certificate?

Ceiling penetrations*

Does the 'number' and 'type' of ceiling penetrations (e.g. downlights, exhaust fans, etc) shown on the stamped plans or installed, match what is shown in this Certificate?

Windows

Does the installed window meet the substitution tolerances (SHGC and U-value) and window type, of the window shown on this Certificate?

Apartment entrance doors

Does the 'External Door Schedule' show apartment entrance doors? Please note that an "external door" between the modelled dwelling and a shared space, such as an enclosed corridor or foyer, should not be included in the assessment (because it overstates the possible ventilation) and would invalidate the Certificate.

Exposure*

Has the appropriate exposure level (terrain) been applied? For example, it is unlikely that a ground-floor apartment is "exposed" or a top floor high-rise apartment is "protected".

Provisional* values

Have provisional values been used in the assessment and, if so, noted in "additional notes" below?

Additional notes

*The dwelling has been assessed without recessed light fittings as no lighting or electrical plan has been

provided.

*Obscure glazing has been modelled as clear glass as it has similar thermal properties.

Window and glazed door type and performance

Default* windows

Window ID Window		Maximum SHGC*		Substitution tolerance ranges		
Williaow ID	Description	U-value*	31130	SHGC lower limit	SHGC upper limit	
ALM-004-01 A	ALM-004-01 A Aluminium B DG Air Fill Clear-Clear	4.8	0.59	0.56	0.62	

Custom* windows

Window ID Window Maximum Description U-value*	Window Maximum		Window	Maximum	imum SHGC*	Substitution to	lerance ranges
	знас	SHGC lower limit	SHGC upper limit				
No Data Availab	le						

* Refer to glossary.

Generated on 29 Sep 2021 using BERS Pro v4.4.0.4 (3.21) for 47 Roberts Road, Grattai, NSW, 2850



Window and glazed door schedule

Location	Window ID	Window no.	Height (mm)	Width (mm)	Window type	Opening %	Orientation	Window shading device*
Bedroom 1	ALM-004-01 A	n/a	1100	2100	n/a	60	S	No
Bedroom 2	ALM-004-01 A	n/a	1100	2100	n/a	60	N	No
Kitchen/Living	ALM-004-01 A	n/a	2100	2700	n/a	45	N	No
Main Bedroom	ALM-004-01 A	n/a	1100	2100	n/a	60	N	No
Bathroom	ALM-004-01 A	n/a	1100	900	n/a	45	S	No

Roof window type and performance

Default* roof windows

Window ID
Window Description
Waximum U-value*
SHGC*
Substitution tolerance ranges
SHGC lower limit SHGC upper limit

Custom* roof windows

Window ID

Window Description

Waximum U-value*

SHGC*

Substitution tolerance ranges

SHGC lower limit SHGC upper limit

Roof window schedule

Window Window Width Outdoor **Opening** Height Indoor Location Orientation % (mm) (mm) shade shade ID no.

No Data Available

Skylight type and performance

Skylight ID Skylight description

No Data Available

Skylight schedule

Skylight Skylight Skylight Area Outdoor Skylight shaft Location Orientation Diffuser shaft length (m²)ID shade reflectance No. (mm)

No Data Available

External door schedule

Location Height (mm) Width (mm) Opening % Orientation

No Data Available



External wall type

Wall	Wall	Solar	Wall shade	Bulk insulation	Reflective wall wrap*
ID	type	absorptance	(colour)	(R-value)	
EW-1	Metal Clad Cavity Panel Direct Fix	0.50	Medium	Anti-glare foil with bulk no gap R3	No

External wall schedule

Location	Wall ID	Height (mm)	Width (mm)	Orientation	Horizontal shading feature* maximum projection (mm)	Vertical shading feature (yes/no)
Bedroom 1	EW-1	2370	2595	S	200	NO
Bedroom 1	EW-1	2370	1595	E	200	NO
Bedroom 2	EW-1	2370	2595	N	200	NO
Bedroom 2	EW-1	2370	1795	E	200	NO
Kitchen/Living	EW-1	2370	6290	S	200	NO
Kitchen/Living	EW-1	2370	8790	N	200	NO
Main Bedroom	EW-1	2370	3395	S	200	NO
Main Bedroom	EW-1	2370	3400	W	200	NO
Main Bedroom	EW-1	2370	3395	N	200	NO
Bathroom	EW-1	2370	2490	S	200	NO

Internal wall type

Wall ID	Wall type	Area (m²)	Bulk insulation
IW-1 - Cavity wall, direct fix plasterboard, single gap		34.00	Bulk Insulation, No Air Gap R2.5

Floor type

Location	Construction	Area (m²)	Sub-floor ventilation	Added insulation (R-value)	Covering
Bedroom 1	Concrete Slab on Ground 150mm	4.00	None	No Insulation	Carpet 10mm
Bedroom 2	Concrete Slab on Ground 150mm	4.50	None	No Insulation	Carpet 10mm
Kitchen/Living	Concrete Slab on Ground 150mm	23.00	None	No Insulation	Ceramic Tiles 8mm
Main Bedroom	Concrete Slab on Ground 150mm	11.40	None	No Insulation	Carpet 10mm
Bathroom	Concrete Slab on Ground 150mm	6.20	None	No Insulation	Ceramic Tiles 8mm

Ceiling type

Location	Construction material/type	Bulk insulation R-value (may include edge batt values)	Reflective wrap*
Bedroom 1	Plasterboard	Bulk Insulation R5	No
Bedroom 2	Plasterboard	Bulk Insulation R5	No
Kitchen/Living	Plasterboard	Bulk Insulation R5	No
Main Bedroom	Plasterboard	Bulk Insulation R5	No

0006635379 NatHERS Certificate

6.7 Star Rating as of 29 Sep 2021



Location	Construction material/type	Bulk insulation R-value (may include edge batt values)	Reflective wrap*
Bathroom	Plasterboard	Bulk Insulation R5	No

Ceiling penetrations*

Location Quantity Type Diameter (mm²) Sealed/unsealed

No Data Available

Ceiling fans

Location Quantity Diameter (mm)

No Data Available

Roof type

Construction	Added insulation (R-value)	Solar absorptance	Roof shade
Corrugated Iron	Bulk, Reflective Side Down, No Air Gap Above R1.8	0.50	Medium



Explanatory notes

About this report

A NatHERS rating is a comprehensive, dynamic computer modelling evaluation of a home, using the floorplans, elevations and specifications to estimate an energy load. It addresses the building layout, orientation and fabric (i.e. walls, windows, floors, roofs and ceilings), but does not cover the water or energy use of appliances or energy production of solar panels.

Ratings are based on a unique climate zone where the home is located and are generated using standard assumptions, including occupancy patterns and thermostat settings. The actual energy consumption of a home may vary significantly from the predicted energy load, as the assumptions used in the rating will not match actual usage patterns. For example, the number of occupants and personal heating or cooling preferences will vary.

While the figures are an indicative guide to energy use, they can be used as a reliable guide for comparing different dwelling designs and to demonstrate that the design meets the energy efficiency requirements in the National Construction Code. Homes that are energy efficient use less energy, are warmer on cool days, cooler on hot days and cost less to run. The higher the star rating the more thermally efficient the dwelling is.

Accredited assessors

To ensure the NatHERS Certificate is of a high quality, always use an accredited or licenced assessor. NatHERS accredited assessors are members of a professional body called an Assessor Accrediting Organisation (AAO).

Australian Capital Territory (ACT) licensed assessors may only produce assessments for regulatory purposes using software for which they have a licence endorsement. Licence endorsements can be confirmed on the ACT licensing register

AAOs have specific quality assurance processes in place, and continuing professional development requirements, to maintain a high and consistent standard of assessments across the country. Non-accredited assessors do not have this level of quality assurance or any ongoing training requirements.

Any questions or concerns about this report should be directed to the assessor in the first instance. If the assessor is unable to address these questions or concerns, the AAO specified on the front of this certificate should be contacted.

Disclaimer

The format of the Nathers Certificate was developed by the Nathers Administrator. However the content of each individual certificate is entered and created by the assessor to create a Nathers Certificate. It is the responsibility of the assessor who prepared this certificate to use Nathers accredited software correctly and follow the Nathers Technical Notes to produce a Nathers Certificate.

The predicted annual energy load in this NathERS Certificate is an estimate based on an assessment of the building by the assessor. It is not a prediction of actual energy use, but may be used to compare how other buildings are likely to perform when used in a similar way.

Information presented in this report relies on a range of standard assumptions (both embedded in NatHERS accredited software and made by the assessor who prepared this report), including assumptions about occupancy, indoor air temperature and local climate

Not all assumptions that may have been made by the assessor while using the Nath—RS accredited software tool are presented in this report and further details or data files may be available from the assessor.

Glossary

Annual energy load	the predicted amount of energy required for heating and cooling, based on standard occupancy assumptions.
Assessed floor area	the floor area modelled in the software for the purpose of the NatHERS assessment. Note, this may not be consistent with the floor area in the
Assessed 11001 area	design documents.
Ceiling penetrations	features that require a penetration to the ceiling, including downlights, vents, exhaust fans, rangehoods, chirmeys and flues. Excludes
Celling penetrations	fixtures attached to the ceiling with small holes through the ceiling for wiring, e.g. ceiling fans; pendant lights, and heating and cooling ducts.
Conditioned	a zone within a dwelling that is expected to require heating and cooling based on standard occupancy assumptions. In some circumstances it
Conditioned	will include garages.
Custom windows	windows listed in Nath-BS software that are available on the market in Australia and have a WBS (Window Energy Rating Scheme) rating.
Default windows	windows that are representative of a specific type of window product and whose properties have been derived by statistical methods.
Estuana da an	these signify ventilation benefits in the modelling software and must not be modelled as a door when opening to a minimally ventilated corridor
Entrance door	in a Class 2 building.
Exposure category – exposed	terrain with no obstructions e.g. flat grazing land, ocean-frontage, desert, exposed high-rise unit (usually above 10 floors).
Smaarma aata nama amaa	terrain with few obstructions at a similar height e.g. grasslands with few well scattered obstructions below 10m, farmland with scattered
Exposure category – open	sheds, lightly vegetated bush blocks, elevated units (e.g. above 3 floors).
Exposure category – suburban	terrain with numerous, closely spaced obstructions below 10me.g. suburban housing, heavily vegetated bushland areas.
Exposure category – protected	terrain with numerous, closely spaced obstructions over 10 me.g. city and industrial areas.
Hardward all adia of a stress	provides shading to the building in the horizontal plane, e.g. eaves, verandahs, pergolas, carports, or overhangs or balconies from upper
Horizontal shading feature	levels.
National Construction Code	the NCC groups buildings by their function and use, and assigns a classification code. NatHEPS software models NCC Class 1, 2 or 4
(NCC) Class	buildings and attached Class 10a buildings. Definitions can be found at www.abcb.gov.au.
Opening percentage	the openability percentage or operable (moveable) area of doors or windows that is used in ventilation calculations.
	an assumed value that does not represent an actual value. For example, if the wall colour is unspecified in the documentation, a provisional
Provisional value	value of 'medium' must be modelled. Acceptable provisional values are outlined in the Nath-RS Technical Note and can be found at
	www.nathers.gov.au
Reflective wrap (also known as foil)	can be applied to walls, roofs and ceilings. When combined with an appropriate airgap and emissivity value, it provides insulative properties.
De of colordon.	for NatHERS this is typically an operable window (i.e. can be opened), will have a plaster or similar light well if there is an attic space, and
Roof window	generally does not have a diffuser.
Shading device	a device fixed to windows that provides shading e.g. window awnings or screens but excludes eaves.
Shading features	includes neighbouring buildings, fences, and wing walls, but excludes eaves.
0.1.1.4.1. (0.1.00)	the fraction of incident solar radiation admitted through a window, both directly transmitted as well as absorbed and subsequently released
Solar heat gain coefficient (SHGC)	inward. SHGC is expressed as a number between 0 and 1. The lower a window's SHGC, the less solar heat it transmits.
Skylight (also known as roof lights)	for NatHERS this is typically a moulded unit with flexible reflective tubing (light well) and a diffuser at ceiling level.
U-value	the rate of heat transfer through a window. The lower the U-value, the better the insulating ability.
Unconditioned	a zone within a dwelling that is assumed to not require heating and cooling based on standard occupancy assumptions.
Vertical shading features	provides shading to the building in the vertical plane and can be parallel or perpendicular to the subject wall/window. Includes privacy