


P + A STEWART
42 NICHOLSON STREET MUDGEES NSW 2850
LOT 1 DP 379323

ALTERATIONS + ADDITIONS TO BCA CLASS 1 RESIDENTIAL DWELLING

DRAWING SCHEDULE	DRAWING	SHEET	DATE/ REVISION
SITE PLAN + BASIX NOTES	A.101	2	
EXISTING FLOOR PLANS	A.105	3	
PROPOSED FLOOR PLANS	A.105.1	4	
MAIN LEVEL FLOOR PLAN	A.105.2	5	REVISION C
LOWER LEVEL FLOOR PLAN	A.105.3	6	12/09/2022
ELEVATIONS + SECTION	A.201	7	
ROOF PLAN	A.113	8	
SAFETY IN DESIGN NOTES	A.001	9	
3D IMAGES	A.203	10	



WIND CLASSIFICATION

CLIMATE ZONE	6
GEOGRAPHICAL REGION	A
TERRAINE CATEGORY	TC3
TOPOGRAPHY	T2
SHIELDING FACTOR	FS
WIND CLASSIFICATION	N2

NOTES

NO SPECIES OF PLANTS OR WILDLIFE WILL BE IMPACTED BY THIS PROPOSAL.
CLIENTS WILL ENSURE THAT NO RUNOFF FROM CONSTRUCTION MATERIALS WILL RUN INTO WATERWAYS



BASIX COMMITMENTS

WATER COMMITMENTS

FIXTURES

40% OF NEW OR ALTERED LIGHT FIXTURES ARE TO BE LED, FLUORESCENT OR COMPACT FLUORESCENT LAMPS

ALL TAPS + SHOWERHEADS TO BE INSTALLED WITH A MINIMUM 3 STAR RATING AND NO > 9L/MINUTE
FLUSHING TOILETS WITH A MINIMUM 3 STAR RATING WITH FLOW RATE NO > 4L/FLUSH

THERMAL COMFORT COMMITMENTS

CONSTRUCTION:

CONCRETE SLAB ON GROUND NIL FURTHER INSULATION
SUSPENDED FLOOR WITH ENCLOSED SUB-FLOOR: FRAMED (R0.7) ADDITIONAL INSULATION R1.00 DOWN (OR R1.70 INCLUDING CONSTRUCTION)
EXTERNAL WALL -FRAMED ADDITIONAL INSULATION R-VALUE R1.300 (OR 1.7 INCLUDING CONSTRUCTION)
EXTERNAL WALL -CONCRETE BLOCK/BRICK WITH PLASTERBOARD ADDITIONAL INSULATION R-VALUE R1.18 (OR 1.7 INCLUDING CONSTRUCTION)
FLAT CEILING PITCHED ROOF - ADDITIONAL INSULATION R-VALUE CEILING:3.50 (UP) ROOF: FOIL/SARKING (SOLAR ABSORPTANCE 0.475-0.70) ACCEPTABLE
INSULATION INSTALLED IN ACCORDANCE WITH THE BCA PART 3.12.1.1

WINDOWS, GLAZED DOORS AND SKYLIGHTS


W1/W7/W8/D6 STANDARD ALUMINIUM SINGLE CLEAR (U-VALUE 7.63 SHGC 0.75) OR BETTER

W2/W3/W4/W5/W6 STANDARD ALUMINIUM SINGLE PYROLYTIC LOW-E (U-VALUE 5.7 SHGC 0.47) OR BETTER

ROOM SCHEDULE		
Zone Number	Room Name	Measured Area
01	KITCHEN	19.07
02	OPEN LIVING	64.14
03	STAIRS	4.07
04	RUMPUS	26.62
05	GUEST BEDROOM	10.94
06	ROBE	3.99
07	ENSUITE	4.70
08	NEW DECK	16.42
09	PAVED AREA	15.14

Client	P + A STEWART	Sheet No.	2
Site Address	42 Nicholson Street Mudgee NSW 2850	Plan/Revision	A.101/C
Drawing	SITE PLAN	Date	12 Sept 2022
	Lot 1 DP379323		

Plans drawn by Gicinta Browning




Chartered Member Number 1187-10



46 Market St * P O Box 826 Mudgee NSW 2850
* Ph 0428 254 037 ABN 61 989 364 458
gicinta@habitatdesigns.com.au

Do not scale drawing. Plans are to scale at A3.
All care has been taken to ensure that this drawing is correct.
The builder or supervisor are responsible for checking all aspects and dimensions and ensuring their use when accepting this drawing for general use.
All engineering items on this plan are subject to verification by an engineer.
Information is based on details obtained from the owners & are subject to verification by a registered surveyor or other professional consultant. The responsibility of engineering & surveying rests with the owner.
Plans are subject to copyright & can not be reproduced without the permission of the author.



EXISTING FLOOR PLAN

1:100

EXISTING LOWER LEVEL

1:100

Do not scale drawing. Plans are to scale at A3.
 All care has been taken to ensure that this drawing is correct.
 The builder or supervisor are responsible for checking all aspects and dimensions and ensuring their use when accepting this drawing for general use.
 All engineering items on this plan are subject to verification by an engineer.
 Information is based on details obtained from the owners and are subject to verification by a registered surveyor or other professional consultant. The responsibility of engineering and surveying rests with the owner.
 Plans are subject to copyright & can not be reproduced without the permission of the author.



46 Market St P O Box 826 Mudgee
 NSW 2850
 Ph 0428 254 037 ABN 61 989 364 458
 gicinta@habitatdesigns.com.au



Plans drawn by
 Gicinta Browning

Client P + A STEWART

Site Address

42 Nicholson Street
 Mudgee NSW 2850


Drawing EXISTING FLOOR PLANS

Date 12 Sept 2022

Sheet No. 3

Lot 1 DP379323

Plan/Revision A.105/C



Floor Plan Main Level

1:100

Floor Plan Lower Level

1:100

<p>Do not scale drawing. Plans are to scale at A3. All care has been taken to ensure that this drawing is correct. The builder or supervisor are responsible for checking all aspects and dimensions and ensuring their use when accepting this drawing for general use. All engineering items on this plan are subject to verification by an engineer. Information is based on details obtained from the owners and are subject to verification by a registered surveyor or other professional consultant. The responsibility of engineering and surveying rests with the owner. Plans are subject to copyright & can not be reproduced without the permission of the author.</p>		<p>46 Market St P O Box 826 Mudgee NSW 2850 Ph 0428 254 037 ABN 61 989 364 458 gicinta@habitatdesigns.com.au</p>		<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Plans drawn by Gicinta Browning</p>	<p>Client P + A STEWART</p>	<p>Drawing PROPOSED BOTH LEVELS</p>	
					<p>Site Address 42 Nicholson Street Mudgee NSW 2850</p>	<p>Date 12 Sept 2022</p>	<p>Sheet No. 4</p>
					<p>Lot 1 DP379323</p>	<p>Plan/Revision A.105.1/C</p>	



Floor Plan Main Level


1:80

11.850

Door Schedule		
	Height	Width
01	2,040	1,640
02	2,040	900
03	2,100	1,600
04	2,040	720
05	2,100	820
06	2,040	1,500

W04	W05	W06	W07	W08	W09
1,220	1,200	1,200	500	600	500
2,170	1,400	1,400	1,600	1,500	1,500
850	850	850	1,600	1,500	1,600
2,070	2,050	2,050	2,100	2,100	2,100
2.65	1.68	1.68	0.80	0.90	0.75

Client P + A STEWART Site Address 42 Nicholson Street Mudgee NSW 2850	Drawing PROPOSED FLOOR PLAN MAIN LEVEL	Date 12 Sept 2022 Sheet No. 5	Plan/Revision A.105.2/C
Plans drawn by Gicinta Browning			
 Chartered Member Number 1187-10			
 46 Market St * P O Box 826 Mudgee NSW 2850 * Ph 0428 254 037 ABN 61 989 364 458 gicinta@habitatdesigns.com.au			
Do not scale drawing. Plans are to scale at A3. All care has been taken to ensure that this drawing is correct. The builder or supervisor are responsible for checking all aspects and dimensions and ensuring their use when accepting this drawing for general use. All engineering items on this plan are subject to verification by an engineer. Information is based on details obtained from the owners & are subject to verification by a registered surveyor or other professional consultant. The responsibility of engineering & surveying rests with the owner. Plans are subject to copyright & can not be reproduced without the permission of the author.			



8,560


LOWER LEVEL

1:50

Do not scale drawing. Plans are to scale at A3.
All care has been taken to ensure that this drawing is correct.
The builder or supervisor are responsible for checking all aspects and dimensions and ensuring their use when accepting this drawing for general use.
All engineering items on this plan are subject to verification by an engineer.
Information is based on details obtained from the owners & are subject to verification by a registered surveyor or other professional consultant. The responsibility of engineering & surveying rests with the owner.
Plans are subject to copyright & can not be reproduced without the permission of the author.






46 Market St * P O Box 826 Mudgee NSW 2850
* Ph 0428 254 037 ABN 61 989 364 458
gicinta@habitatdesigns.com.au




Chartered Member
Number 1187-10

Plans drawn by
Gicinta Browning

Client	P + A STEWART		
Site Address	42 Nicholson Street Mudgee NSW 2850		
Drawing	PROPOSED FLOOR PLAN LOWER LEVEL	Sheet No.	6
Lot 1	DP379323	Date	12 Sept 2022
			Plan/Revision
			A.105.3/C



ELEVATIONS



Do not scale drawing. Plans are to scale at A3.
 All care has been taken to ensure that this drawing is correct.
 The builder or supervisor are responsible for checking all aspects and dimensions and ensuring their use when accepting this drawing for general use.
 All engineering items on this plan are subject to verification by an engineer.
 Information is based on details obtained from the owners and are subject to verification by a registered surveyor or other professional consultant. The responsibility of engineering and surveying rests with the owner.
 Plans are subject to copyright & can not be reproduced without the permission of the author.



46 Market St P O Box 826 Mudgee NSW 2850
 Ph 0428 254 037 ABN 61 989 364 458
 gicinta@habitatdesigns.com.au



Plans drawn by Gicinta Browning

Client P + A STEWART

Site Address
 42 Nicholson Street
 Mudgee NSW 2850


Drawing ELEVATIONS

Date 12 Sept 2022


Sheet No. 7

Lot 1 DP379323

Plan/Revision
 A.201/C




EXISTING ROOF 1:125



PROPOSED ROOF 1:125

BCA NOTES:

CLAUSE	REQUIREMENTS
B1.2	MATERIALS & FORMS OF CONSTRUCTION TO COMPLY WITH BCA B1.2
C1.12	NON COMBUSTIBLE MATERIALS TO COMPLY WITH BCA C.1.12
3.1.2	SITE DRAINAGE TO COMPLY WITH AS3500.3.2, AS3500.5 OR BCA3.1.2.1
3.1.3	TERMITE BARRIERS TO BE INSTALLED IN ACCORDANCE WITH AS3660.1
3.3.3	MASONARY ACCESSORIES TO COMPLY WITH AS3700 OR BCA 3.3.3
3.3.4	WEATHERPROOFING OF MASONRY TO COMPLY WITH AS3700 OR BCA 3.3.4
3.4.2	ANY STEEL FRAMING USED TO COMPLY WITH AS3623-1993, AS1170 & AS4600
3.5.1	ANY TIMBER FRAMING USED TO COMPLY WITH AS1684.2 & AS1684.4
	WALL CLADDINGS & METAL ROOF CLADDINGS TO COMPLY WITH AS1562.1 OR BCA 3.5.2.1
3.5.2	GUTTERS AND DOWNPIPES TO COMPLY WITH AS3500.3.2 OR AS3500.5 OR BCA 3.5.2.1
3.5.3	WALL CLADDING TO COMPLY WITH BCA 3.5.3.2, 3.5.3.5 & 3.5.3.6
3.6	GLAZING TO COMPLY WITH AS2047, AS1248 & BCA 3.6
3.7.1.9	FIRE HAZARD PROPERTIES TO COMPLY WITH BCA 3.7.1.9
3.7.3.0	HEATING APPLIANCES TO COMPLY WITH STANDARDS SPECIFIED IN BCA 3.7.3.0
3.7.3.1	HEATING APPLIANCE INSTALLATION TO COMPLY WITH 3.7.3.1
3.7.3.5	FIREPLACE FLUE INSTALLATION TO COMPLY WITH 3.7.3.5
3.8.1	WET AREAS TO COMPLY WITH AS3470 BCA 3.8.1.1 & BCA F1.7
3.12.1.1	THERMAL INSULATION TO COMPLY WITH BCA3.12.1
3.12.2	GLAZING TO COMPLY WITH THE PROVISIONS OF THE BASIX CERTIFICATE
3.12.3	BUILDING SEALING TO BE IN ACCORDANCE WITH BCA 3.12.3
3.12.3.1	BUILDING SEALING TO BE IN ACCORDANCE WITH BCA 3.12.3.0-5
3.12.4	AIR MOVEMENT TO COMPLY WITH THE PROVISIONS OF THE BASIX CERTIFICATE
3.12.5	BUILDING SERVICES TO COMPLY WITH BCA 3.12.5 INCLUDING 3.12.5.0-3
F1.6	SARKING TO COMPLY WITH AS4200 PARTS 1 & 2
F1.9	DAMP PROOFING FLOORS TO COMPLY WITH AS2870
F2.5	SANITARY COMPARTMENT DOORS TO COMPLY WITH BCA F2.5



DESIGN NOTES

WALL HUNG VANITY WITH WALL MOUNTED TAPS TO ENSUITE - MIRRORS ABOVE VANITY WITH LIGHTING ABOVE INSULATION IN WALL CAVITIES AND BUILDING WRAP TO NEW EXTERNAL WALLS
 NON-SLIP FINISH TO ALL EXTERNAL CONCRETE AREAS OR WET AREAS
 ALL FLOORING TO FALL IN WET AREAS TO DRAINS
 EXTERNAL SLABS AND HARD SURFACES TO FALL AWAY FROM RESIDENCE TO ALLOW FOR RUNOFF AWAY FROM BUILDING
 FLOORING TO MATCH EXISTING
 CLADDING AROUND FIREPLACE TO COMPLY WITH AUSTRALIAN STANDARDS

Client	P + A STEWART		Sheet No.	8
	Site Address	42 Nicholson Street Mudgee NSW 2850		Plan/Revision
Drawing	ROOF PLAN		Date	12 Sept 2022
	Lot 1	DP379323		Number
Plans drawn by Gicinta Browning				
		Chartered Member Number 1187-10		
		46 Market St * P O Box 826 Mudgee NSW 2850 * Ph 0428 254 037 ABN 61 989 364 458 gicinta@habitatdesigns.com.au		
Do not scale drawing. Plans are to scale at A3. All care has been taken to ensure that this drawing is correct. The builder or supervisor are responsible for checking all aspects and dimensions and ensuring their use when accepting this drawing for general use. All engineering items on this plan are subject to verification by an engineer. Information is based on details obtained from the owners & are subject to verification by a registered surveyor or other professional consultant. The responsibility of engineering & surveying rests with the owner. Plans are subject to copyright & can not be reproduced without the permission of the author.				

1. FALLS, SLIPS, TRIPS

a) WORKING AT HEIGHTS

DURING CONSTRUCTION

Wherever possible, components for this building should be prefabricated off-site or at ground level to minimise the risk of workers falling more than two metres. However, construction of this building will require workers to be working at heights where a fall in excess of two metres is possible and injury is likely to result from such a fall. The builder should provide a suitable barrier wherever a person is required to work in a situation where falling more than two metres is a possibility.

DURING OPERATION OR MAINTENANCE

For houses or other low-rise buildings where scaffolding is appropriate:

Cleaning and maintenance of windows, walls, roof or other components of this building will require persons to be situated where a fall from a height in excess of two metres is possible. Where this type of activity is required, scaffolding, ladders or trestles should be used in accordance with relevant codes of practice, regulations or legislation.

For buildings where scaffold, ladders, trestles are not appropriate:

Cleaning and maintenance of windows, walls, roof or other components of this building will require persons to be situated where a fall from a height in excess of two metres is possible. Where this type of activity is required, scaffolding, fall barriers or Personal Protective Equipment (PPE) should be used in accordance with relevant codes of practice, regulations or legislation.

b) SLIPPERY OR UNEVEN SURFACES

FLOOR FINISHES Specified

If finishes have been specified by designer, these have been selected to minimise the risk of floors and paved areas becoming slippery when wet or when walked on with wet shoes/feet. Any changes to the specified finish should be made in consultation with the designer or, if this is not practical, surfaces with an equivalent or better slip resistance should be chosen.

FLOOR FINISHES By Owner

If designer has not been involved in the selection of surface finishes, the owner is responsible for the selection of surface finishes in the pedestrian trafficable areas of this building. Surfaces should be selected in accordance with AS HB 197:1999 and AS/NZ 4586:2004.

STEPS, LOOSE OBJECTS AND UNEVEN SURFACES

Due to design restrictions for this building, steps and/or ramps are included in the building which may be a hazard to workers carrying objects or otherwise occupied. Steps should be clearly marked with both visual and tactile warning during construction, maintenance, demolition and at all times when the building operates as a workplace.

Building owners and occupiers should monitor the pedestrian access ways and in particular access to areas where maintenance is routinely carried out to ensure that surfaces have not moved or cracked so that they become uneven and present a trip hazard. Spills, loose material, stray objects or any other matter that may cause a slip or trip hazard should be cleaned or removed from access ways.

Contractors should be required to maintain a tidy work site during construction, maintenance or demolition to reduce the risk of trips and falls in the workplace. Materials for construction or maintenance should be stored in designated areas away from access ways and work areas.

2. FALLING OBJECTS

LOOSE MATERIALS OR SMALL OBJECTS

Construction, maintenance or demolition work on or around this building is likely to involve persons working above ground level or above floor levels. Where this occurs one or more of the following measures should be taken to avoid objects falling from the area where the work is being carried out onto persons below.

1. Prevent or restrict access to areas below where the work is being carried out.
2. Provide toeboards to scaffolding or work platforms.
3. Provide protective structure below the work area.
4. Ensure that all persons below the work area have Personal Protective Equipment (PPE).

BUILDING COMPONENTS

During construction, renovation or demolition of this building, parts of the structure including fabricated steelwork, heavy panels and many other components will remain standing prior to or after supporting parts are in place. Contractors should ensure that temporary bracing or other required support is in place at all times when collapse which may injure persons in the area is a possibility.

Mechanical lifting of materials and components during construction, maintenance or demolition presents a risk of falling objects. Contractors should ensure that appropriate lifting devices are used, that loads are properly secured and that access to areas below the load is prevented or restricted.

3. TRAFFIC MANAGEMENT

For building on a major road, narrow road or steeply sloping road: Parking of vehicles or loading/unloading of vehicles on this roadway may cause a traffic hazard. During construction, maintenance or demolition of this building designated parking for workers and loading areas should be provided. Trained traffic management personnel should be responsible for the supervision of these areas.

For building where on-site loading/unloading is restricted:

Construction of this building will require loading and unloading of materials on the roadway. Deliveries should be well planned to avoid congestion of loading areas and trained traffic management personnel should be used to supervise loading/unloading areas.

For all buildings:

Busy construction and demolition sites present a risk of collision where deliveries and other traffic are moving within the site. A traffic management plan supervised by trained traffic management personnel should be adopted for the work site.

4. SERVICES

GENERAL

Rupture of services during excavation or other activity creates a variety of risks including release of hazardous material. Existing services are located on or around this site. Where known, these are identified on the plans but the exact location and extent of services may vary from that indicated. Services should be located using an appropriate service (such as Dial Before You Dig), appropriate excavation practice should be used and, where necessary, specialist contractors should be used.

Locations with underground power:

Underground power lines MAY be located in or around this site. All underground power lines must be disconnected or carefully located and adequate warning signs used prior to any construction, maintenance or demolition commencing.

Locations with overhead power lines:

Overhead power lines MAY be near or on this site. These pose a risk of electrocution if struck or approached by lifting devices or other plant and persons working above ground level. Where there is a danger of this occurring, power lines should be, where practical, disconnected or relocated. Where this is not practical adequate warning in the form of bright coloured tape or signage should be used or a protective barrier provided.

5. MANUAL TASKS

Components within this design with a mass in excess of 25kg should be lifted by two or more workers or by mechanical lifting device. Where this is not practical, suppliers or fabricators should be required to limit the component mass.

All material packaging, building and maintenance components should clearly show the total mass of packages and where practical all items should be stored on site in a way which minimises bending before lifting. Advice should be provided on safe lifting methods in all areas where lifting may occur. Construction, maintenance and demolition of this building will require the use of portable tools and equipment. These should be fully maintained in accordance with manufacturer's specifications and not used where faulty or (in the case of electrical equipment) not carrying a current electrical safety tag. All safety guards or devices should be regularly checked and Personal Protective Equipment should be used in accordance with manufacturer's specification.

6. HAZARDOUS SUBSTANCES

ASBESTOS

For alterations to a building constructed prior to 1990:

If this existing building was constructed prior to:

1990 - it therefore may contain asbestos

1986 - it therefore is likely to contain asbestos

either in cladding material or in fire retardant insulation material. In either case, the builder should check and, if necessary, take appropriate action before demolishing, cutting, sanding, drilling or otherwise disturbing the existing structure.

POWDERED MATERIALS

Many materials used in the construction of this building can cause harm if inhaled in powdered form. Persons working on or in the building during construction, operational maintenance or demolition should ensure good ventilation and wear Personal Protective Equipment including protection against inhalation while using powdered material or when sanding, drilling, cutting or otherwise disturbing or creating powdered material.

TREATED TIMBER

The design of this building may include provision for the inclusion of treated timber within the structure. Dust or fumes from this material can be harmful. Persons working on or in the building during construction, operational maintenance or demolition should ensure good ventilation and wear Personal Protective Equipment including protection against inhalation of harmful material when sanding, drilling, cutting or using treated timber in any way that may cause harmful material to be released. Do not burn treated timber.

VOLATILE ORGANIC COMPOUNDS

Many types of glue, solvents, spray packs, paints, varnishes and some cleaning materials and disinfectants have dangerous emissions. Areas where these are used should be kept well ventilated while the material is being used and for a period after installation. Personal Protective Equipment may also be required. The manufacturer's recommendations for use must be carefully considered at all times.

SYNTHETIC MINERAL FIBRE

Fibreglass, rockwool, ceramic and other material used for thermal or sound insulation may contain synthetic mineral fibre which may be harmful if inhaled or if it comes in contact with the skin, eyes or other sensitive parts or the body. Personal Protective Equipment including protection against inhalation of harmful material should be used when installing, removing or working near bulk insulation material.

TIMBER FLOORS

This building may contain timber floors which have an applied finish. Areas where finishes are applied should be kept well ventilated during sanding and application and for a period after installation. Personal Protective Equipment may also be required. The manufacturer's recommendations for use must be carefully considered at all times.

7. CONFINED SPACES

EXCAVATION

Construction of this building and some maintenance on the building will require excavation and installation of items within excavations. Where practical, installation should be carried out using methods which do not require workers to enter the excavation. Where this is not practical, adequate support for the excavated area should be provided to prevent collapse. Warning signs and barriers to prevent accidental or unauthorised access to all excavations should be provided.

ENCLOSED SPACES

For buildings with enclosed spaces where maintenance or other access may be required:

Enclosed spaces within this building may present a risk to persons entering for construction, maintenance or any other purpose. The design documentation calls for warning signs and barriers to unauthorised access. These should be maintained throughout the life of the building. Where workers are required to enter enclosed spaces, air testing equipment and Personal Protective Equipment should be provided.

SMALL SPACES

For buildings with small spaces where maintenance or other access may be required:

Some small spaces within this building will require access by construction or maintenance workers. The design documentation calls for warning signs and barriers to unauthorised access. These should be maintained throughout the life of the building. Where workers are required to enter small spaces they should be scheduled so that access is for short periods. Manual lifting and other manual activity should be restricted in small spaces.

8. PUBLIC ACCESS

Public access to construction and demolition sites and to areas under maintenance causes risk to workers and public. Warning signs and secure barriers to unauthorised access should be provided. Where electrical installations, excavations, plant or loose materials are present they should be secured when not fully supervised.


9. OPERATIONAL USE OF BUILDING RESIDENTIAL BUILDINGS

This building has been designed as a residential building. If it, at a later date, it is used or intended to be used as a workplace, the provisions of the Work Health and Safety Act 2011 or subsequent replacement Act should be applied to the new use.

10. OTHER HIGH RISK ACTIVITY

All electrical work should be carried out in accordance with Code of Practice: Managing Electrical Risks at the Workplace, AS/NZ 3012 and all licensing requirements.

All work using Plant should be carried out in accordance with Code of Practice: Managing Risks of Plant at the Workplace. All work should be carried out in accordance with Code of Practice: Managing Noise and Preventing Hearing Loss at Work. Due to the history of serious incidents it is recommended that particular care be exercised when undertaking work involving steel construction and concrete placement. All the above applies.

Client P + A STEWART Site Address 42 Nicholson Street Mudgee NSW 2850	Drawing SAFETY IN DESIGN NOTES Sheet No. 9	Plan/Revision A.001/C
Plans drawn by Gicinta Browning		
 ACCREDITED BUILDING DESIGNER		Chartered Member Number 1187-10
		46 Market St * P O Box 826 Mudgee NSW 2850 * Ph 0428 254 037 ABN 61 989 364 458 gicinta@habitatdesigns.com.au
Do not scale drawing. Plans are to scale at A3. All care has been taken to ensure that this drawing is correct. The builder or supervisor are responsible for checking all aspects and dimensions and ensuring their use when accepting this drawing for general use. All engineering items on this plan are subject to verification by an engineer. Information is based on details obtained from the owners & are subject to verification by a registered surveyor or other professional consultant. The responsibility of engineering & surveying rests with the owner. Plans are subject to copyright & can not be reproduced without the permission of the author.		


THESE NOTES MUST BE READ AND UNDERSTOOD BY ALL INVOLVED IN THE PROJECT.

THIS INCLUDES (but is not excluded to): OWNER, BUILDER, SUB-CONTRACTORS, CONSULTANTS, RENOVATORS, OPERATORS, MAINTENORS, DEMOLISHERS.

3D VIEWS



VIEW FROM NICHOLSON STREET



Do not scale drawing. Plans are to scale at A3.
 All care has been taken to ensure that this drawing is correct.
 The builder or supervisor are responsible for checking all aspects and dimensions and ensuring their use when accepting this drawing for general use.
 All engineering items on this plan are subject to verification by an engineer.
 Information is based on details obtained from the owners and are subject to verification by a registered surveyor or other professional consultant. The responsibility of engineering and surveying rests with the owner.
 Plans are subject to copyright & can not be reproduced without the permission of the author.



46 Market St P O Box 826 Mudgee
 NSW 2850
 Ph 0428 254 037 ABN 61 989 364 458
 gicinta@habitatdesigns.com.au



Plans drawn by
 Gicinta Browning

Client P + A STEWART

Site Address

42 Nicholson Street
 Mudgee NSW 2850

Drawing 3D IMAGES

Date 12 Sept 2022

Sheet No. 10

Lot 1 DP379323

Plan/Revision A.203/C