TEAR OUT AND ATTACH THIS BUSH FIRE ASSESSMENT REPORT WITH YOUR APPLICATION TO COUNCIL

SECTION TWO

BUSH FIRE ASSESSMENT REPORT

PART A: Property details
Applicant name: Shaun + Katring Flags
Contact phone numbers Home: Mobile:
Council: Mudgee
Council reference (if known): PAN - 340140
Lot:
DP: 1190252
Address to be developed: 374 Coxs Creek Road Rylstone USW 284
My property is on Bush Fire Prone Land: Yes No
PART B: Type of proposal
Type of Proposal:
New Building Urban Isolated Rural Rural Residential
Alteration/Additions to an existing building
Proposal Description: e.g. two storey house with attached Single Storey house, bx 6 5hed
opy of plans attached: Yes No

PART C: Bush fire attack and level of construction

Step 1

Assess the vegetation hazard in all directions

Category	North	East	South	West
Keith vegetation	Rainforest	Rainforest	Rainforest	Rainforest
group	Forest	Forest	Forest	Forest
	Grassy and Semi-Arid Woodland	Woodland	Woodland	Woodland
	Forested Wetland	Forested Wetland	Forested Wetland	Forested Wetland
	Tall Heath	Tall Heath	Tall Heath	Tall Heath
	Short Heath	Short Heath	Short Heath	Short Heath
	Arid-Shrubland	Arid-Shrubland	Arid-Shrubland	Arid-Shrubland
	Freshwater Wetlands	Freshwater Wetlands	Freshwater Wetlands	Freshwater Wetlands
	Grasslands	Grasslands	Grasslands	Grasslands
	Managed Land	Managed Land	Managed Land	Managed Land

Copy of any relevant photos attached:

Yes X

No 🗌

Step 2

Determine the distance from the building to the bush fire vegetation hazard

Aspect	North	East	South	West
Distance	30 m	30 m	20. m	30 m

Step 3

Determine the effective slope that will influence bush fire behaviour in each direction

Category	North	East	South	West
Slope under the	upslope/flat	upslope/flat	(upslope/flat)	upslope/flat
hazard (over 100m) [in degrees]	>0 to 5	(>0 to 5)	>0 to 5	>0 to 5
[aog, oco,	(>5 to 10)	>5 to 10	>5 to 10	>5 to 10
	>10 to 15	>10 to 15	>10 to 15	>10 to 15
	>15 to 20	>15 to 20	>15 to 20	>15 to 20

Step 4				low
Determine the FFDI that a	applies to your local gov	vernment area. Ci	rcle the relevant FFDI be	IOW
FFDI : 100 80	\boxtimes			
Step 5				
Match the relevant FFDI, v	egetation, distance and	I slope to determ	ine the required BAL.	
Identify the BAL for each	direction, select the hig	ghest level for the	e entire building and reco	ord below. Note
BAL-12.5 is the lowest cor	nstruction level within th	ne scope of AS39)59 - 2018.	
Bush Fire Attack Level:	BAL- FZ		BAL-12.5	
	BAL- 40	BAL-19	No requirement	

Step 6

Determining BAL construction requirements

Once the appropriate BAL has been determined in Step 5, AS3959-2018 and or/ the NASH Standard 2014 will be used to determine the construction requirements for the proposed design.

Does your proposal meet the construction requirements for the BALs required as per AS3959-2018 and the NASH Standard (2014):

IVA	ii otai		
Yes	X	No	

Grassland Deeming Provisions Assessment

This assessment is only required where the deeming provisions are to be used. Where the deeming provisions are not to be used, previous Steps 1 to 6 in Part C must be applied. Tick which box below applies to individual circumstances:

X	An APZ of 50m or more can be provided – this can be considered to meet PBP 2019, no further bush fire protection measures are required
	An APZ of 20-49m can be provided - comply with Grassland Deeming Provisions requirements in the following Table
	An APZ of less than 20m is provided or the standard assessment process is proposed - use the assessment process identified in Steps 1 to 6 above

Grassland Deeming Provisions

BUSH FIRE PROTECTION MEASURE	GRASSLAND DEEMING PROVISIONS
	limited to a maximum of 15 degrees downslope;
407	minimum APZ of 20m is provided between the building and unmanaged grass;
APZ	the APZ is wholly within the boundaries of the development site; and
	the APZ is maintained as a mown area with grass heights less than 100mm.
Construction	construction in accordance with BAL-12.5 of AS3959-2018 and any additional construction requirements in PBP 2019.
Access	> comply with the property access provisions in Part G.
Water supply	comply with the water supply provisions in Part E.
Landscaping	comply with the relevant provisions in Appendix 4 of PBP 2019, noting that other vegetation bush fire hazards cannot be present if these provisions are to apply.

PART D: Flame zone

Provide details and justification for any additional bush fire protection measures required for a performance based solution.

PART E: Water supplies

Does your property have a reticulated water supply?; If so, please provide details on the distance to the nearest fire hydrant on your site plan.

Reticulated water supply is available:

Yes No No

Distance (m) to hydrant from house.

Do you have or do you plan to have a dedicated water supply for firefighting purposes?

Yes No

Development Type	Water Requirement	Planned	Existing
Residential Lots (<1,000m²)	5,000 I/lot		
Rural-residential Lots (1,000 – $10,000$ m ²) <1 ha	10,000 I/lot		
Large Rural/Lifestyle Lots (>10,000m²) >1 ha	20,000 I/lot	100,000 litres	2x16,000
Townhouse/Unit Style (e.g. Flats including Dual Occupancy)	5,000 I/unit up to 20,000I maximum.	note tank	111/23 10

Do you have or do you plan to have a static water supply (e.g. pool, tank or dam)?

Include approximate size in litres and also include tank material if using a tank:

Water supply type	Capacity	Construction material	Planned	Existing
e.g. pool	50,0001	Above ground rolled steel with plastic liner		
Dams	75,0001			

NOTE: Check with your local council concerning their Local Environmental Plan (LEP) or their Development Control Plan (DCP) as this may dictate the type and size of tank.

PART F: Gas supplies Do you have reticulated or bottled gas? Type of gas: Reticulated gas: Pet No No NOTE: When attaching development plans please ensure they clearly show location and details of electricity and gas (where relevant) on your property. Part G: Access Does the development proposal meet the requirements as defined in this document? Yes No No