

Proposed Detached Dual Occupancy Lot 803, 8 Davis Crescent Caerleon NSW 2850

DRAWING SCHEDULE - FILE NO: 0494-A01		
0494-A01	TITLE & BASIX COMMITMENTS	
0494-A02	LOCATION, SITE, SUBDIVISION & LANDSCAPE PLAN	
0494-A03	FLOOR PLAN - DWELLING ONE	
0494-A04	FLOOR PLAN - DWELLING TWO	
0494-A05	ELEVATIONS - DWELLING ONE	
0494-A06	ELEVATIONS - DWELLING TWO	
0494-A07	SECTION & GENERAL NOTES	
0494-A08	ELECTRICAL & MECHANICAL PLANS - DWELLING ONE	
0494-A09	ELECTRICAL & MECHANICAL PLANS - DWELLING TWO	

BASIX COMMITMENTS - Dwelling One \$ Two

THERMAL COMFORT

- > See Typical Section, Floor Plan and Basix Certificate for further Thermal Comfort Commitments
- > The proposed construction must have the following applied to the floors, walls and ceiling / roof of the dwelling.

CONSTRUCTION	ADDITIONAL INSULATION REQUIRED	OTHER
Floor - concrete slab on ground	Nil	
External wall - brick veneer	R2.06(or R2.60 including construction)	
External wall - framed (weatherboard) - Dwelling Two	R2.20(or R2.60 including construction)	
Internal wall shared with Garage - plasterboard	Nil	
Ceiling and roof - flat ceiling / pitched roof	Ceiling: R4.0 (up), Roof: foil / sarking	Unventilated; Dark (solar absorptance >0.70)

ENERGY

HOT WATER

> A Gas Instantaneous Hot Water System must be installed

COOLING & HEATING SYSTEM: Day/night zoned

- > Living Area I-phase air conditioning, 3.5 Star (cold zone)
- > Bedroom I-phase air conditioning, 3.5 Star (cold zone)

VENTILATION EXHAUST SYSTEMS:

- > At least | Bathroom individual fan not ducted manual on/off
- > Kitchen individual fan, not ducted manual on/off
- > Laundry natural ventilation only.

ARTIFICIAL LIGHTING:

- > The primary type of lighting in the following rooms must be fluorescent or LED:
 - At least 3 of the bedrooms / study (dedicated)
 - At least 2 of the living / dining rooms (dedicated)
 - The kitchen (dedicated)
 - All hallways (dedicated)

- The laundry (dedicated)

- All bathrooms / toilets (dedicated)

- > Each refrigerator space must be constructed so that it is well ventilated
- > A fixed outdoor clothes drying line must be installed

NATURAL LIGHTING:

> A window and / or skylight must be installed in 2 bathrooms / toilet(s) of the development

GLAZING REQUIREMENTS

WINDOWS & GLAZED DOORS

> The applicant must install all proposed windows, glazed doors and shading devices as listed in the corresponding BASIX Certificate.

WATER

FIXTURES

- > Showerheads 4 Star (>4.5 <=6L/min)
- > Toilet Flushing System 4 Star Rating
- > Kıtchen Taps 4 Star Ratıng
- > Bathroom Basin Taps 4 Star Rating

> Minimum of 3m2 of low water use species used in the development

RAINWATER TANK

- > A rainwater tank of at least 2,000L capacity must be installed
- > The rainwater tank must collect rainwater from at least 150m2 of the roof area
- > The rainwater tank must be connected to:
- The cold water tap that supplies each clothes washer, and at least one outdoor tap in the development

BASIX NOTES:

I | THE APPLICANT MUST COMPLY WITH THE BASIX COMMITMENTS WITHIN BASIX CERTIFICATE PROVIDED DURING THE CONSTRUCTION OF THIS PROPOSED DEVELOPMENT.

HIS DRAWING IS SUBJECT TO COPYRIGHT & MUST NOT BE REPRODUCED OR USED FOR MEANS OTHER THAN INTENDED WITHOUT THE WRITTEN PERMISSION OF THE AUTHOR - LYNCH BUILDING GROUP

DESCRIPTION 07/06/2023 CONCEPT PLANS FOR REVIEW 24/07/2023 PRELIM PLANS FOR QUOTING 14/08/2023 PRELIM PLANS FOR QUOTING 13/09/2023 CONTRACT PLANS FINALISED 30/09/2023 FINAL PLANS

ALL DRAWINGS TO BE READ IN CONJUNCTION

MTH ALL SHEETS TO THIS SET OF PLANS
SEPERATE SPECIFICATION DOCUMENTS
STRUCTURAL ENGINEERS DOCUMENTATION
PCA DOCUMENTS (WHERE APPLICABLE)
BASIX CERTIFICATE

BUILDING DESIGNERS ALL RELEVANT CODES, STANDARDS & APPROVALS

LYNCH BUILDING GROUP PROPOSED DETACHED DUAL OCCUPANCY LOT 803 DAVIS CRESCENT CAERLEON NSW 2850



O BOX 1298 CONTACT US:

02 63726 054 projects@lynchbuildinggroup.com.a WWW LYNCHBUILDINGGROUP COM AL TITLE & BASIX COMMITMENTS

DRAWING TITLE: DESIGN:

FILE NO: 0494-A01 LBG DRAFTED: J.LYNCH ALLYNCH PAPER SIZE: A3

01 OF 09 E