PROPOSED WORKSHOP

FOR

SYDNEY ROAD PTY LTD 20 SYDNEY ROAD MUDGEE NSW 2850



GENERAL NOTES:

Builder to confirm all dimensions before

If discrepancies occur on plans, designer is to be

All dimensions are in millimeters unless otherwise

Use figured dimensions only. Do not scale from

Site information is based on information supplied by the owner and must be verified by the supplier on acceptance of this plan.

All works shall comply with the National Construction Code (NCC) current Australian Standards, building regulations and statutory approvals. Notify this office of any discrepancies.

These plans should be read in con-junction with project specification and all consultant drawings including but not limited to Structural Engineer and

Soil Classification - refer to Engineers report and soil

SPECIFICATIONS:

WIND CLASSIFICATION - BY ENGINEER

PLUMBING

All plumbing to AS 3500 and must carried out by a licensed plumber in accordance with the Plumbing Code of Australia (PCA) to comply with the requirements of the Local

Gutters and Downpipes to be designed and installed in accordance with NCC/BCA Part 3.5.3.

ELECTRICAL

All electrical work shall be undertaken by a licensed electrician and in accordance with AS/NZS 3000

CONDENSATION MANAGEMENT

Install a pliable building membrane to comply with AS4200.1 & AS4200.2 with a vapour permeance of not less than 1.14ug/N.s in this climate. (Climate 6). Except for single skin masonry or concrete, where a pliable building membrane is not installed in an external wall, the primary water control layer must be separated from water sensitive materials by a drained cavity.

SPECIFICATIONS:

TERMITE PROTECTION

All buildings shall be protected against termite attack in accordance with AS3660.1 and NCC/BCA 3.1.4. Provide a durable notice in the meter box indicating type of barrier and required inspections.

SMOKE DETECTORS

SMOKE DETECTORS


Smoke detectors shall be install as noted on the plans and in accordance with AS 3786 and NCC/BCA Vol. 2 Part 3.7.5. They must be hard wired to the electrical supply.

<u>GLAZING</u> Provide glazing to AS 1288 and NCC/BCA Part 3.6

LIFT OFF HINGES (LOH)
Provide lift of hinges to the doors on sanitary compartments as labeled on the plans in accordance with NCC/BCA Vol 2 3.8.3.3

DRAUGHT SEALING

Provide a seal/draught excluder to the bottom edge of all external doors



- 1. Builder to confirm all dimensions before commencing any works.
- 2. If discrepancies occur on plans, designer is to be contacted.
- 3. All dimensions are in millimeters unless otherwise stated.
- 4. Use figured dimensions only. Do not scale from plans.
- 5. Site information is based on information supplied by the owner and must be verified by the supplier on acceptance of this plan.

| С | DA ISSUE | 30.01.24 |
|------|-----------------|----------|
| В | SITE ALTERATION | 01.12.23 |
| Α | PRELIMINARY | 19.09.23 |
| ksue | Description | Date |



PASSIVE SOLAR & SUSTAINABLE DESIGN 0418 605 898
rai@sunraidesigns.com.au
www.sunraidesigns.com.au

This drawing is subject to copyright and must not be reproduced or used without the consent of Sunrai Designs.


Client Sydney Road PTY LTD


20 Sydney Road Mudgee NSW 2850


SITE PLAN

Scale at A3

1:1000 Date OCTOBER 2023 Drawn RG/DW Drawing No. Issue 564STO-01







FLOOR PLAN SCALE 1:150

| AREA ANALYSIS | SQ M |
|-----------------------|----------------------|
| Warehouse | 647.9 m ² |
| Office/Showroom/Lunch | 108.1 m² |
| TOTAL | 756.0 m² |
| | |

FIRE SAFETY NOTES:

REFER ALSO TO FIRE SAFETY SCHEDULE PROVIDED AS PART OF CONSTRUCTION CERTIFICATE APPROVAL.

FIRE HYDRANTS - REQUIRED TO SERVE BUILDINGS OVER 500 SQM - INSTALL TO NCC PART E1D2 AND TO COMPLY WITH AS 2419.

EMERGENCY EXIT LIGHTING - REQUIRED AS FLOOR AREA IS OVER 300 SQM - INSTALL TO NCC PART E4D2 AND TO COMPLY WITH AS 2293.1

EXIT SIGNS - REQUIRED ABOVE DOORS PROVIDING EGRESS AS NOTED ON PLAN WITH THE FOLLOWING SYMBOL EXIT - INSTALL TO NCC PART E4D5 TO COMPLY WITH AS 2293.1

FIRE HOSE REEL - REQUIRED WHERE FLOOR AREA IS OVER 500 SQM. INSTALL TO NCC PART E1D3 AND COMPLY WITH AS 2441. THEY CAN BE LOCATED INTERNALLY OR EXTERNALLY WITHIN 4M OF AN EXIT.

PORTABLE FIRE EXTINGISHERS - MUST BE PROVIDED IN ACCORDANCE WITH NCC PART E1D14 AND COMPLY WITH AS 2444

EXIT DOORS - MUST COMPLY WITH NCC PART D3D25. BE READILY OPENABLE WITHOUT A KEY FROM THE SIDE THAT FACES A PERSON SEEKING EGRESS BY EITHER A SINGLE HANDED DOWNWARD OR PUSHING ACTION ON A SINGLE DEVICE LOCATED BETWEEN 900mm & 1100mm FROM THE FLOOR

- I. Builder to confirm all dimensions before commencing any works.
- 2. If discrepancies occur on plans, designer is to be contacted.
- 3. All dimensions are in millimeters unless otherwise stated.
- 4. Use figured dimensions only. Do not scale from plans.
- 5. Site information is based on information supplied by the owner and must be verified by the supplier on acceptance of this plan.

15-21 WINDOW DIMENSIONS HEIGHT X WIDTH.
ALUMINIUM AWNING WINDOW ALUMINIUM DOUBLE HUNG WINDOW ALUMINIUM SLIDING DOOR ALUMINIUM SLIDING WINDOW BI-FOLDING DOOR CLOTHES LINE

CONC CONCRETE, TROWEL FINISH
CPT CARPET
CSD CAVITY SLIDING DOOR CERAMIC FLOOR TILES DOWN PIPE

DRYER SPACE DISHWASHER FIXED GLASS WINDOW

FRENCH DOOR FIREPLACE

FLOATING TIMBER FLOOR FLOOR WASTE GULLY HOT PLATES HOT WATER SYSTEM JOINERY

LIFT OFF HINGES LAUNDRY TUB

LOUVRE WINDOW METER BOX MODWOOD DECKING MOD

MULTI STACK SLIDING DOOR MICROWAVE

OBSCURE GLASS OVEN POLISHED CONCRETE VINYL PLANK FLOORING PANEL-LIFT GARAGE DOOR

ROLLER DOOR REFRIGERATOR RETAINING WALL

SMOKE DETECTOR

⊕SD SIDE-LITE

TIMBER DECKING POLISHED TIMBER FLOOR WM WASHING MACHINE SPACE

30.01.24 **DAISSUE PRELIMINARY** 19.09.23 Issue



PASSIVE SOLAR & SUSTAINABLE DESIGN 0418 605 898 rai@sunraidesigns.com.au www.sunraidesigns.com.au

This drawing is subject to copyright and must not be reproduced or used without the consent of Sunrai Designs.


Sydney Road PTY LTD

20 Sydney Road Mudgee NSW 2850


FLOOR PLAN

Scale at A3

Drawn RG/DW OCTOBER 2023 Drawing No. Issue В 564STO-02



NORTH EAST ELEVATION SCALE 1:150



2 SOUTH EAST ELEVATION SCALE 1:150

Notes

- Builder to confirm all dimensions before commencing any works.
- $2. \ \mbox{lf}$ discrepancies occur on plans, designer is to be contacted.
- 3. All dimensions are in millimeters unless otherwise stated.
- **4.** Use figured dimensions only. Do not scale from plans.
- 5. Site information is based on information supplied by the owner and must be verified by the supplier on acceptance of this plan.

| В | DAISSUE | 30.01.24 |
|-------|-------------|----------|
| Α | PRELIMINARY | 19.09.23 |
| Issue | Description | Date |



PASSIVE SOLAR & SUSTAINABLE DESIGN 0418 605 898 rai@sunraidesigns.com.au www.sunraidesigns.com.au

This drawing is subject to copyright and must not be reproduced or used without the consent of Sunrai Designs.

Client

Sydney Road PTY LTD

Proi

20 Sydney Road Mudgee NSW 2850

ELEVATIONS


Scale at A3

 1:150


 Date
 OCTOBER 2023
 Drawn RG/DW

 Drawing No.
 Issue

 564STO-03
 B



SCALE 1:150



2 NORTH WEST ELEVATION SCALE 1:150

Notes

- Builder to confirm all dimensions before commencing any works.
- 2. If discrepancies occur on plans, designer is to be contacted.
- 3. All dimensions are in millimeters unless otherwise stated.
- 4. Use figured dimensions only. Do not scale from plans.
- 5. Site information is based on information supplied by the owner and must be verified by the supplier on acceptance of this plan.

| В | DAISSUE | 30.01.24 |
|-------|-------------|----------|
| Α | PRELIMINARY | 19.09.23 |
| Issue | Description | Date |



PASSIVE SOLAR & SUSTAINABLE DESIGN 0418 605 898 rai@sunraidesigns.com.au www.sunraidesigns.com.au

This drawing is subject to copyright and must not be reproduced or used without the consent of Sunrai Designs.

Client

Sydney Road PTY LTD

Projec

20 Sydney Road Mudgee NSW 2850

ELEVATIONS

Scale at A3

 1:150

 Date
 OCTOBER 2023
 Drawn RG/DW

 Drawing No.
 Issue

 564STO-04
 B